GRENVOK

LI-ION
GARDEN OUTDOOR POWER TOOLS

PRODUCT CATALOGUE



COMPLETE OUTDOOR POWER TOOL SOLUTIONS

IN-HOUSE R&D & MANUFACTURING

FLEXIBLE OEM & ODM SERVICES

PRODUCT WARRANTY

★ **CORDLESS GARDEN OUTDOOR TOOL MANUFACTURER**
Backed by 20 Years of Expertise in Motor R&D

YONGKANG JIAHAI POWER TOOLS CO., LTD.

IN-HOUSE MOTOR R&D & MANUFACTURING
FROM POWERTRAIN TO FINISHED TOOL

3000m²	180,000+	1,000,000+	3-7DAYS
SELF-OWNED FACTORY SITE	TOOL UNITS /YEAR	MOTOR UNITS/YEAR	FOR CUSTOMIZED SAMPLE

COMPLETE CORDLESS GARDEN TOOL RANGE · ONE-STOP SOURCING

50+ MODELS
POPULAR RANGE

FACTORY TOUR · FROM MOTOR R&D TO FINISHED-TOOL ASSEMBLY

MACHINEY
FULLY EQUIPPED



3000m² SELF-OWNED MANUFACTURING SITE

Includes R&D and testing department, motor workshop, assembly workshop and warehouse



IN-HOUSE BRUSHLESS MOTOR PRODUCTION

Equipped with 4 stator winding machines and 2 dynamic balancing machines, standardized production process to ensure quality



MACHINE ASSEMBLY & INSPECTION

Equipped with 4 assembly lines and 2 rounds of machine inspection to ensure the quality stability of each unit



READY STOCK & GLOBAL SHIPPING

Fast shipping for popular models, support FCL & LCL shipments

QUALITY GUARANTEED · COMPLETE WITH CERTIFICATES AND REPORTS

Global Markets
Export Ready




ISO 9001 CERTIFIED
ISO 9001 Quality Management System, standardized production



PRODUCT REPORTS
CE Test Reports
EMC & ROHS Test Reports
UL Test Reports



TRADEMARK & PATENT PROTECTION
Proprietary Brand and Patent Protection for Hassle-Free Sales



BATTERY CELL & PACK TEST REPORTS
UN38.3, MSDS, UL, CE,FCC, CB, KC,PSE, Transport Safety Reports

Factory Visits Welcome | Product Catalog Available | Samples Available for Testing

Samples Ready in 3-7 Days · Sample Testing Available ·
OEM Branding & Custom Labeling · Product Photos, Renderings & Videos Provided ·
Independent Export Rights & Global Sales

PARTNERSHIP SUPPORT · TRADING COMPANIES | SME WHOLESALERS | E-COMMERCE SELLERS

SINCERE PARTNERSHIP
SOLVING SOURCING CHALLENGES

1 **FLEXIBLE MOQ & FAST DELIVERY**
Ready Stock 1 Piece MOQ · No MOQ on OEM Labeling ·
Deep Custom 500 pcs · 7-15 Days Ready for 500 pcs

2 **DEEP CUSTOMIZATION SERVICES**
Orders Above 500 Units: Custom Housing Colors · Silk Screen Logo · OEM Labeling
Motor Laser Marking · Packaging Details Design

3 **GLOBAL MULTI-STANDARD CHARGERS & PLUGES**
US, EU, UK, AU & Global Chargers Available ·
Multi-language Manuals Supportable

4 **EXPORT PACKAGING STANDARD**
Drop-Resistant Cartons Available · Protective EPE Foam Inserts Available ·
BMC Box Packaging Available · Accurate Packaging Dimensions & Weight Provided

5 **WARRANTY & AFTER-SALES SUPPORT**
1-Year Warranty (Excluding Misuse and Accidental Damage) ·
Spare Parts Available for Bulk Orders


CHAIN SAW 12"
12" CHAIN SAW
CHAIN SAW 15"
CHAIN SAW 16"
21V
GREN
RULE THE


HAIN SAW 16"
12" DAOBAN
12" DAOBAN
CHAIN SAW 12"
CHAIN SAW 16"
CHAIN SAW 16"
OUTDOORS

GRENVOK

Yongkang Jiahai Power Tools Co.,Ltd.

PRODUCT RANGE

Cordless Garden Outdoor Power Tools

CHANSAWS



GRASS TRIMMERS



PRUNING SHEARS



BLOWERS



HEDGE TRIMMERS



POLE SAWS & HEDGE TRIMMERS



SNOW SHOVELS



CULTIVATORS



OTHER PRODUCTS



CHAINSAWS

18V
150MM (6") PRUNING SAW
JHCS-601



- Manual Oiling System

Voltage	18V
Motor	Brushed 550
No-Load Speed (rpm)	3950
No Load Chain Speed (m/s)	5.9
Max. Bar Length (mm)	150
Usable Cutting Length (mm)	140
Chain Pitch	1/4" 37link
Chain Oil Tank Capacity (mL)	12
Mahine Only Weight (g)	800

18V
145MM (6") PRUNING SAW
JHCS-603



- Manual Oiling System

Voltage	18V
Motor	Brushless 4815
No-Load Speed (rpm)	4880
No Load Chain Speed (m/s)	7.2
Max. Bar Length (mm)	145
Usable Cutting Length (mm)	135
Chain Pitch	1/4" 37link
Chain Oil Tank Capacity (mL)	25
Mahine Only Weight (g)	1025

18V
145MM (6") PRUNING SAW
JHCS-604



- Tool Free Chain Tensioning
- Manual Oiling System

Voltage	18V
Motor	Brushed 550
No-Load Speed (rpm)	4200
No Load Chain Speed (m/s)	6.2
Max. Bar Length (mm)	145
Usable Cutting Length (mm)	135
Chain Pitch	1/4" 37link
Chain Oil Tank Capacity (mL)	10
Mahine Only Weight (g)	975

18V
145MM (6") PRUNING SAW
JHCS-606



- Tool Free Chain Tensioning
- Manual Oiling System

Voltage	18V
Motor	Brushless 4815
No-Load Speed (rpm)	5000
No Load Chain Speed (m/s)	7.4
Max. Bar Length (mm)	145
Usable Cutting Length (mm)	135
Chain Pitch	1/4" 37link
Chain Oil Tank Capacity (mL)	15
Mahine Only Weight (g)	1055



18V
150MM (6") PRUNING SAW
JHCS-608



- Manual Oiling System

Voltage	18V
Motor	Brushed 550
No-Load Speed (rpm)	3950
No Load Chain Speed (m/s)	5.9
Max. Bar Length (mm)	150
Usable Cutting Length (mm)	140
Chain Pitch	1/4" 37link
Chain Oil Tank Capacity (mL)	12
Mahine Only Weight (g)	840

18V
200MM (8") PRUNING SAW
JHCS-802



- Automatic Oiling System
- Battery Level Indicator
- Tool Free Chain Tensioning

Voltage	18V
Motor	Brushless 4815
No-Load Speed (rpm)	5000
No Load Chain Speed (m/s)	7.4
Max. Bar Length (mm)	200
Usable Cutting Length (mm)	190
Chain Pitch	1/4" 46link
Chain Oil Tank Capacity (mL)	15
Mahine Only Weight (g)	1200

18V
200MM (8") PRUNING SAW
JHCS-802-2



- Automatic Oiling System
- Auxiliary handle
- Battery Level Indicator
- Tool Free Chain Tensioning

Voltage	18V
Motor	Brushless 4815
No-Load Speed (rpm)	5300
No Load Chain Speed (m/s)	7.8
Max. Bar Length (mm)	200
Usable Cutting Length (mm)	190
Chain Pitch	1/4" 46link
Chain Oil Tank Capacity (mL)	15
Mahine Only Weight (g)	1300

18V
190MM (8") PRUNING SAW
JHCS-803



- Automatic Oiling System
- Battery Level Indicator
- Tool Free Chain Tensioning

Voltage	18V
Motor	Brushless 4825
No-Load Speed (rpm)	5300
No Load Chain Speed (m/s)	7.8
Max. Bar Length (mm)	190
Usable Cutting Length (mm)	180
Chain Pitch	1/4" 46link
Chain Oil Tank Capacity (mL)	80
Mahine Only Weight (g)	1510

CHAINSAWS

18V

200MM (8") PRUNING SAW

JHCS-804



- Automatic Oiling System
- Tool Free Chain Tensioning

Voltage	18V
Motor	Brushless 4820
No-Load Speed (rpm)	4800
No Load Chain Speed (m/s)	7.1
Max. Bar Length (mm)	200
Usable Cutting Length (mm)	190
Chain Pitch	1/4" 46link
Chain Oil Tank Capacity (mL)	30
Mahine Only Weight (g)	1320



18V

200MM (8") PRUNING SAW

JHCS-805



- Automatic Oiling System
- Two Types of Guard
- Battery Level Indicator
- Tool Free Chain Tensioning

Voltage	18V
Motor	Brushless 4820
No-Load Speed (rpm)	5800
No Load Chain Speed (m/s)	8.6
Max. Bar Length (mm)	200
Usable Cutting Length (mm)	190
Chain Pitch	1/4" 46link
Chain Oil Tank Capacity (mL)	25
Mahine Only Weight (g)	1490

18V

250MM (10") PRUNING SAW

JHCS-1001



- Automatic Oiling System
- Battery Level Indicator
- Tool Free Chain Tensioning

Voltage	18V
Motor	Brushless 3825
No-Load Speed (rpm)	5100
No Load Chain Speed (m/s)	7.6
Max. Bar Length (mm)	250
Usable Cutting Length (mm)	240
Chain Pitch	1/4" 53link
Chain Oil Tank Capacity (mL)	35
Mahine Only Weight (g)	1305



18V

240MM (10") PRUNING SAW

JHCS-1002



- NEW DESIGN
- Front Guard Brake
- Automatic Oiling System
- Tool Free Chain Tensioning

Voltage	18V
Motor	Brushless 4825
No-Load Speed (rpm)	5000
No Load Chain Speed (m/s)	9.5
Max. Bar Length (mm)	240
Usable Cutting Length (mm)	230
Chain Pitch	1/4" 62link
Chain Oil Tank Capacity (mL)	180
Mahine Only Weight (g)	2305



18V

280MM (12") PRUNING SAW

JHCS-1203



- Manual Oiling System

Voltage	18V
Motor	Brushless 5025
No-Load Speed (rpm)	2700
No Load Chain Speed (m/s)	5.1
Max. Bar Length (mm)	280
Usable Cutting Length (mm)	270
Chain Pitch	3/8" 45link
Chain Oil Tank Capacity (mL)	50
Mahine Only Weight (g)	2035

18V

280MM (12") PRUNING SAW

JHCS-1203L



- Manual Oiling System

Voltage	18V
Motor	Brushless 5025
No-Load Speed (rpm)	2700
No Load Chain Speed (m/s)	5.1
Max. Bar Length (mm)	280
Usable Cutting Length (mm)	270
Chain Pitch	3/8" 45link
Chain Oil Tank Capacity (mL)	30
Mahine Only Weight (g)	2035

CHAINSAWS

18V

295MM (12") PRUNING SAW

JHCS-1207



- Automatic Oiling System

Voltage	18V
Motor	Brushless 5025
No-Load Speed (rpm)	2800
No Load Chain Speed (m/s)	5.3
Max. Bar Length (mm)	295
Usable Cutting Length (mm)	285
Chain Pitch	3/8" 45link
Chain Oil Tank Capacity (mL)	60
Mahine Only Weight (g)	2165

18V

280MM (12") PRUNING SAW

JHCS-1208



- Manual Oiling System

Voltage	18V
Motor	Brushless 5025
No-Load Speed (rpm)	2400
No Load Chain Speed (m/s)	4.6
Max. Bar Length (mm)	280
Usable Cutting Length (mm)	270
Chain Pitch	3/8" 45link
Chain Oil Tank Capacity (mL)	50
Mahine Only Weight (g)	2230



18V

300MM (12") PRUNING SAW

JHCS-1210



- Automatic Oiling System
- Front Guard Brake
- Battery Level Indicator
- Tool Free Chain Tensioning

Voltage	18V
Motor	Brushless 5020
No-Load Speed (rpm)	5800
No Load Chain Speed (m/s)	8.6
Max. Bar Length (mm)	300
Usable Cutting Length (mm)	285
Chain Pitch	1/4" 62link
Chain Oil Tank Capacity (mL)	50
Mahine Only Weight (g)	1750



18V

290MM (12") PRUNING SAW

JHCS-1211



- Automatic Oiling System
- Front Guard Brake
- Battery Level Indicator
- Tool Free Chain Tensioning

Voltage	18V
Motor	Brushless 4820
No-Load Speed (rpm)	5500
No Load Chain Speed (m/s)	8.1
Max. Bar Length (mm)	290
Usable Cutting Length (mm)	280
Chain Pitch	1/4" 62link
Chain Oil Tank Capacity (mL)	50
Mahine Only Weight (g)	1715

18V

290MM (12") PRUNING SAW

JHCS-1212



- Automatic Oiling System
- Front Guard Brake
- Extended to 1000mm
- Tool Free Chain Tensioning

Voltage	18V
Motor	Brushless 4820
No-Load Speed (rpm)	5400
No Load Chain Speed (m/s)	8
Max. Bar Length (mm)	290
Usable Cutting Length (mm)	275
Chain Pitch	1/4" 62link
Chain Oil Tank Capacity (mL)	50
Mahine Only Weight (g)	2035



36V

330MM (14") PRUNING SAW

JHCS-1401



- NEW DESIGN
- Front Guard Brake
- Automatic Oiling System
- Tool Free Chain Tensioning

Voltage	36V
Motor	Brushless 6030
No-Load Speed (rpm)	7000
No Load Chain Speed (m/s)	13.5
Max. Bar Length (mm)	330
Usable Cutting Length (mm)	320
Chain Pitch	1/4" 75link
Chain Oil Tank Capacity (mL)	200
Mahine Only Weight (g)	2790

CHAINSAWS

36V
400MM (16") PRUNING SAW
JHCS-1601



- Automatic Oiling System
- Aluminum Gearbox

Voltage	18V * 2
Motor	Brushless 5230
No-Load Speed (rpm)	3850
No Load Chain Speed (m/s)	7.3
Max. Bar Length (mm)	400
Usable Cutting Length (mm)	390
Chain Pitch	3/8" 59link
Chain Oil Tank Capacity (mL)	130
Mahine Only Weight (g)	3555

36V
400MM (16") PRUNING SAW
JHCS-1602



- Automatic Oiling System

Voltage	18V * 2
Motor	Brushless 6025
No-Load Speed (rpm)	4500
No Load Chain Speed (m/s)	8.6
Max. Bar Length (mm)	400
Usable Cutting Length (mm)	390
Chain Pitch	3/8" 59link
Chain Oil Tank Capacity (mL)	230
Mahine Only Weight (g)	3660



36V
410MM (16") PRUNING SAW
JHCS-1603



- Automatic Oiling System
- Tool Free Chain Tensioning
- Front Guard Brake

Voltage	18V * 2
Motor	Brushless 5035
No-Load Speed (rpm)	3800
No Load Chain Speed (m/s)	7.5
Max. Bar Length (mm)	410
Usable Cutting Length (mm)	400
Chain Pitch	3/8" 59link
Chain Oil Tank Capacity (mL)	150
Mahine Only Weight (g)	3570



36V
390MM (16") PRUNING SAW
JHCS-1611



- Automatic Oiling System
- Tool Free Chain Tensioning
- Front Guard Brake

Voltage	36V
Motor	Brushless 5030
No-Load Speed (rpm)	3600
No Load Chain Speed (m/s)	6.9
Max. Bar Length (mm)	390
Usable Cutting Length (mm)	380
Chain Pitch	1/4" 83link
Chain Oil Tank Capacity (mL)	130
Mahine Only Weight (g)	2810

36V
390MM (16") PRUNING SAW
JHCS-1612



- Automatic Oiling System
- Battery Level Indicator
- Front Guard Brake

Voltage	36V
Motor	Brushless 5230
No-Load Speed (rpm)	5100
No Load Chain Speed (m/s)	11.3
Max. Bar Length (mm)	390
Usable Cutting Length (mm)	380
Chain Pitch	3/8" 59link
Chain Oil Tank Capacity (mL)	160
Mahine Only Weight (g)	3570

60V
390MM (16") PRUNING SAW
JHCS-1613



- 60V Strong Power
- Battery Level Indicator
- Automatic Oiling System
- Front Guard Brake

Voltage	60V
Motor	Brushless 6025
No-Load Speed (rpm)	7500
No Load Chain Speed (m/s)	16.8
Max. Bar Length (mm)	390
Usable Cutting Length (mm)	380
Chain Pitch	3/8" 59link
Chain Oil Tank Capacity (mL)	200
Mahine Only Weight (g)	4105



GRENVOK

Yongkang Jiahai Power Tools Co.,Ltd.

GRASS TRIMMERS

18V

BRUSH CUTTER & GRASS TRIMMER

JHGT-S01

- Auxiliary Handle Angle Adjustment
- Cutting Angle Adjustment
- Supports Extension



Voltage	18V
Motor	Brushless 4815
No-Load Speed (rpm)	4500
Blade Size (mm)	230
Max Cutting Capacity (mm)	300
Mahine Only Weight (g)	2020

18V

BRUSH CUTTER & GRASS TRIMMER

JHGT-S02

- Auxiliary Handle Angle Adjustment
- Cutting Angle Adjustment
- Battery Level Indicator
- Supports Extension



Voltage	18V
Motor	Brushless 4815
No-Load Speed (rpm)	4500
Blade Size (mm)	230
Max Cutting Capacity (mm)	300
Mahine Only Weight (g)	2000

18V

BRUSH CUTTER & GRASS TRIMMER

JHGT-S03

- Both Handle Angle Adjustment
- Battery Level Indicator
- Aluminum Gearbox
- Supports Extension



Voltage	18V
Motor	Brushless 4820
No-Load Speed (rpm)	4700
Blade Size (mm)	230
Max Cutting Capacity (mm)	300
Mahine Only Weight (g)	2500



18&36V

BRUSH CUTTER & GRASS TRIMMER

JHGT-S04

- Auxiliary Handle Angle Adjustment
- Direct-Drive BL Motor
- Aluminum Head Housing
- Constant Speed Output



Voltage	18&36V
Motor	Brushless 7125
No-Load Speed (rpm)	5000
Blade Size (mm)	230
Max Cutting Capacity (mm)	400
Mahine Only Weight (g)	2870



PRUNING SHEARS

18V

25MM PRUNING SHEAR

JHPS-201

- Battery Level & Number of Cuts Indicator
- Two Mode of Cutting Capacity



Voltage	18V
Motor	Brushless 3145-20
Max Cutting Capacity (mm)	25
Cutting Mode	2
Mahine Only Weight (g)	730



18V

25MM PRUNING SHEAR

JHPS-202

- Two Mode of Cutting Capacity



Voltage	18V
Motor	Brushless 3145-20
Max Cutting Capacity (mm)	25
Cutting Mode	2
Mahine Only Weight (g)	655

Yongkang Jiahai Power Tools Co.,Ltd.

PRUNING SHEARS

18V

30MM PRUNING SHEAR

JHPS-301



- Battery Level & Number of Cuts Indicator
- Four Mode of Cutting Capacity

Voltage	18V
Motor	Brushless 3150-25
Max Cutting Capacity (mm)	30
Cutting Mode	4
Mahine Only Weight (g)	750



18V

40MM PRUNING SHEAR

JHPS-401



- Battery Level & Number of Cuts Indicator
- Two Mode of Cutting Capacity

Voltage	18V
Motor	Brushless 3163-40
Max Cutting Capacity (mm)	40
Cutting Mode	2
Mahine Only Weight (g)	900

BLOWERS

18V

260 CFM BLOWER & VACUUM

JHAB-03



- 2-IN-1 Blower & Vacuum
- Variable Speed Trigger

Voltage	18V
Motor	Brushless 3820
Max. Air Volume (m^3/min)	7.4
Max. Air Flow Speed (m/s)	50
Blowing Force (g)	760
Airflow Level	Variable Speed
Mahine Only Weight (g)	750

18V

245 CFM BLOWER & VACUUM

JHAB-04



- 2-IN-1 Blower & Vacuum
- Variable Speed Trigger

Voltage	18V
Motor	Brushless 3820
Max. Air Volume (m^3/min)	7
Max. Air Flow Speed (m/s)	47
Blowing Force (g)	680
Airflow Level	Variable Speed
Mahine Only Weight (g)	750



18V

300 CFM LEAF BLOWER

JHLB-S01



- Battery Level Indicator
- Five Airflow Level

Voltage	18V
Motor	Brushed 775
Max. Air Volume (m^3/min)	8.5
Max. Air Flow Speed (m/s)	39
Blowing Force (g)	680
Airflow Level	5
Mahine Only Weight (g)	1660



18V

328 CFM LEAF BLOWER

JHLB-S02



- Six Airflow Level

Voltage	18V
Motor	Brushless 3830
Max. Air Volume (m^3/min)	9.3
Max. Air Flow Speed (m/s)	40
Blowing Force (g)	760
Airflow Level	6
Mahine Only Weight (g)	1660

BLOWERS

18V
378 CFM LEAF BLOWER
JHLB-S03



- Five Airflow Level
- Powerful Turbo Mode

Voltage	18V
Motor	Brushless 4225
Max. Air Volume (m^3/min)	10.7
Max. Air Flow Speed (m/s)	41
Blowing Force (g)	900
Airflow Level	6
Mahine Only Weight (g)	1940

18V
310 CFM LEAF BLOWER
JHLB-S04



- Two Airflow Level

Voltage	18V
Motor	Brushless 3825
Max. Air Volume (m^3/min)	8.8
Max. Air Flow Speed (m/s)	38
Blowing Force (g)	690
Airflow Level	2
Mahine Only Weight (g)	1925



HEDGE TRIMMERS

18V
490MM (20") HEDGE TRIMMER
JHHT-01



Voltage	18V
Motor	Brushed 560
Stroke Per Minute (spm)	3200
Cutting Length (mm)	490
Cutting Capacity (mm)	15
Blade Tip Guard	Yes
Mahine Only Weight (g)	2120

18V
490MM (20") HEDGE TRIMMER
JHHT-02



- 180° Angle Handle Adjustment

Voltage	18V
Motor	Brushed 560
Stroke Per Minute (spm)	3200
Cutting Length (mm)	490
Cutting Capacity (mm)	15
Blade Tip Guard	Yes
Mahine Only Weight (g)	2330



18V
350MM (14") HEDGE TRIMMER
JHHT-03



- Two SPM Mode
- Battery Level Indicator
- Power to Cut Thick Branches

Voltage	18V
Motor	Brushless 4815
Stroke Per Minute (spm)	3450
Cutting Length (mm)	350
Cutting Capacity (mm)	20
Blade Tip Guard	Yes
Mahine Only Weight (g)	1410

18V
400MM (16") HEDGE TRIMMER
JHHT-04



- OUTRUNNER BL MOTOR
- Six SPM Mode
- Power to Cut Thick Branches

Voltage	18V
Motor	Brushless 4015
Stroke Per Minute (spm)	4900
Cutting Length (mm)	400
Cutting Capacity (mm)	20
Blade Tip Guard	Yes
Mahine Only Weight (g)	1350



GRENVOK

Yongkang Jiahai Power Tools Co.,Ltd.

POLE SAWS & POLE HEDGE TRIMMERS

18V

480MM (20") HIGH POLE HEDGE TRIMMER

JHHPHT-S01



- Battery Level Indicator
- 90° Head Angle Adjustment
- Each Section Installable to Extension

Voltage	18V
Motor	Brushless 3820
Stroke Per Minute (spm)	3175
Cutting Length (mm)	480
Cutting Capacity (mm)	15
Length Extended (mm)	2800
Blade Tip Guard	Yes
Mahine Only Weight (g)	3320

18V

290MM (12") HIGH POLE PRUNING SAW

JHHPCS-S01



- Battery Level Indicator
- Automatic Oiling System
- Tool Free Chain Tensioning
- Each Section Installable to Extension

Voltage	18V
Motor	Brushless 4820
No-Load Speed (rpm)	5400
No Load Chain Speed (m/s)	8
Max. Bar Length (mm)	290
Usable cutting length (mm)	280
Length Extended (mm)	2400
Chain Pitch	1/4" 62link
Chain Oil Tank Capacity (mL)	50
Mahine Only Weight (g)	2730



SNOW SHOVELS

18V

250MM (10") SNOW SHOVEL

JHSS-S01



- Auxiliary Handle Angle Adjustment
- All Poles Supports Disassembly to Optimize Packaging Dimensions
- Stable Internal Structure

Voltage	18V
Motor	Brushless 4820
No-Load Speed (rpm)	2800
Clearing Width (mm)	250
Maximum Intake Height (mm)	150
Maximum Throw distance (m)	3-8
Mahine Only Weight (g)	3440

18V

245MM (10") SNOW SHOVEL

JHSS-S02



- Both Handle Angle Adjustment
- Supports Extension & Folding
- Battery Level Indicator

Voltage	18V
Motor	Brushless 4820
No-Load Speed (rpm)	2900
Clearing Width (mm)	245
Maximum Intake Height (mm)	150
Maximum Throw distance (m)	3-8
Mahine Only Weight (g)	4200



CULTIVATORS

18V

150MM (6") CULTIVATOR

JHTC-S01



- Auxiliary Handle Angle Adjustment
- Battery Level Indicator

Voltage	18V
Motor	Brushless 4820
No-Load Speed (rpm)	350
Tilling Width (mm)	220
Tilling Depth(mm)	170
Blade Diameter(mm)	150
Mahine Only Weight (g)	4050

18V

160MM (6") CULTIVATOR

JHTC-S02



- Auxiliary Handle Angle Adjustment
- Battery Level Indicator

Voltage	18V
Motor	Brushless 4820
No-Load Speed (rpm)	400
Tilling Width (mm)	220
Tilling Depth(mm)	180
Blade Diameter(mm)	160
Mahine Only Weight (g)	4100

HIGH POLE

18V

HIGH POLE EXTENSION ATTACHMENT

JHHP-01S



- Telescopic Extension
- 180° Head Angle Adjustment

Voltage	18V
Extension Mode	Telescopic
Length Extended (mm)	2500
Mahine Only Weight (g)	1490



18V

HIGH POLE EXTENSION ATTACHMENT

JHHP-01C



- Each Section Installable to Extension
- 180° Head Angle Adjustment

Voltage	18V
Extension Mode	Installable
Length Extended (mm)	2500
Mahine Only Weight (g)	1960

18V

HIGH POLE EXTENSION ATTACHMENT

JHHP-02S



- Telescopic Extension
- 120° Head Angle Adjustment

Voltage	18V
Extension Mode	Telescopic
Length Extended (mm)	2500
Mahine Only Weight (g)	1540

GRENVOK

YONGKANG JIAHAI POWER TOOLS CO., LTD.

CORDLESS GARDEN & OUTDOOR POWER TOOLS MANUFACTURER

Backed by 20 Years of Expertise in Motor R&D

RULE THE OUTDOORS



CONTACT US

Address: No. 172 Huachuan Road, Yongkang High-tech Zone, Yongkang, Zhejiang, China

Tel / Whatsapp / Wechat: +86 17826981128; +86 18329038613

E-mail: jiahaipowertools@gmail.com

Website: Jiahaipowertools.com